

Prevalence of Tobacco Use Among Connecticut Adults (18+ years old), 2014								
Demographic Characteristics	Current Tobacco Use*		Current Cigarette Smoking		Current Other Tobacco Use [§]		Current E-Cigarette Use	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Overall	18.3	(17.0-19.7)	15.4	(14.2-16.6)	3.2	(2.5-3.9)	4.9	(4.1-5.8)
Sex								
Male	21.7	(19.6-23.8)	17.5	(15.5-19.4)	4.9	(3.7-6.2)	5.9	(4.5-7.3)
Female	15.2	(13.6-16.9)	13.5	(11.9-15.0)	1.6	(1.0-2.2)	4.0	(3.0-5.1)
Age								
18-24	21.6	(16.2-27.1)	13.0	(8.7-17.3)	9.1	(5.3-13.0)	8.5	(4.3-12.7)
25-34	29.2	(24.8-33.7)	24.4	(20.3-28.6)	7.4	(4.8-10.1)	7.6	(4.8-10.5)
35-44	20.2	(16.6-23.8)	17.9	(14.4-21.3)	1.7	(0.7-2.7)	5.2	(3.2-7.2)
45-54	20.4	(17.6-23.2)	18.4	(15.7-21.1)	1.5	(0.7-2.2)	6.5	(4.5-8.4)
55-64	15.2	(12.8-17.7)	13.8	(11.5-16.2)	1.5	(0.8-2.2)	3.5	(2.2-4.8)
65+	7.8	(6.3-9.3)	7.0	(5.5-8.4)	0.9	(0.4-1.4)	—	—
Race/Ethnicity								
Non-Hispanic White	17.4	(15.8-18.9)	14.1	(12.7-15.5)	3.2	(2.4-4.0)	5.0	(4.0-6.0)
Non-Hispanic Black	19.8	(15.3-24.4)	18.5	(14.0-22.9)	—**	—	3.3	(1.4-5.1)
Hispanic	23.1	(18.7-27.4)	20.6	(16.4-24.8)	3.0	(1.3-4.6)	5.7	(2.9-8.4)
Non-Hispanic Other	19.5	(13.4-25.5)	16.0	(10.4-21.5)	—	—	—	—
Annual Household Income								
Less than \$25,000	28.8	(25.4-32.2)	25.6	(22.3-28.8)	3.5	(2.2-4.7)	8.9	(6.4-11.4)
\$25,000 - \$34,999	24.7	(19.0-30.5)	20.1	(14.8-25.5)	—	—	8.5	(4.4-12.6)
\$35,000 - \$49,999	21.0	(16.6-25.3)	18.1	(14.0-22.2)	2.8	(1.2-4.4)	3.8	(1.7-5.9)
\$50,000 - \$74,999	18.0	(14.0-22.1)	14.7	(11.0-18.4)	—	—	—	—
\$75,000+	11.8	(9.9-13.7)	9.4	(7.6-11.1)	3.3	(2.1-4.5)	3.3	(2.2-4.4)
Education								
Less than High School (no diploma)	29.1	(23.6-34.7)	26.3	(20.9-31.6)	—	—	9.9	(5.7-14.1)
High School or GED Diploma	25.0	(22.1-27.9)	20.9	(18.2-23.5)	4.1	(2.6-5.6)	5.9	(4.2-7.6)
Some College or Tech School	18.5	(16.1-21.0)	16.0	(13.7-18.3)	3.2	(2.0-4.4)	5.2	(3.6-6.8)
College Graduate	9.0	(7.6-10.3)	6.7	(5.6-7.8)	2.2	(1.3-3.1)	2.3	(1.4-3.1)

Data source: 2014 CT Behavioral Risk Factor Surveillance System

Notes: Adult current cigarette smokers are defined as persons who reported smoking at least 100 cigarettes during their lifetime and who, at the time of the interview, reported smoking some days or every day. Adult current use of tobacco products other than cigarettes is defined as using a product on 1 or more of the 30 days before the survey.

*including cigarettes, chewing tobacco, snuff, dip, hookahs (water pipes), snus, and e-cigarettes

§including chewing tobacco, snuff, dip, hookahs, and snus

**These estimates are suppressed because the data are statistically unreliable (i.e., the relative standard error was >30% or the sample size was <50).